

2-Horse Bumper Pull Walk-Thru with Dress & Side Unload Ramp



**Safe,
Comfortable,
Versatile
and Stylish.**

HAWK's design experience and attention to detail equals unmatched quality and value. Travel in confidence with the industry leader.

Rear & Side unload ramps offer optimum versatility with ease of handling

Standard Features Include:

- Fully Lined and Insulated Walls and Doors
- White or Pewter Aluminum Outer Shell
- Custom Painted Accent Color
- Fiberglass Roof and Fenders
- Powder Coated Removable Interior Parts
- L.E.D. lights
- Sealed Fuse Box
- Transferable Warranty



Hawk
T R A I L E R S



T R A I L E R S

HAWK TRAILERS


2 Horse Bumper Pull Walk Thru Dress/side unload ramp

| | w/dress Custom | w/dress Elite | w/dress Classic Custom | w/dress Classic Elite |
|---|----------------|---------------|------------------------|-----------------------|
| Overall Length | 19'4" | 19'4" | 19'10" | 19'10" |
| Width | 72" wd | 72" wd | 80" wd | 80" wd |
| Stall Length | 7' | 7' | 7'6" | 7'6" |
| Inside Height | 7'6" | 7'6" | 7'8" | 7'8" |
| 2-5/16" wedge lock coupler | S | S | S | S |
| Sidewind Jack w/sandfoot in coupler Elite only dollywheel | S | S | S | S |
| Axle Capacity 7000# w/4 wheel electric brakes | S | S | S | S |
| ST22575R15(C) Radial Silver rims, Elite Aluminum rims | S | S | S | S |
| Spare Tire & rim mounted inside no cover | S | S | S | S |
| Front wedge w/20x24 wdws | S | S | S | S |
| Side Unload Ramp, 54" w/upper storm door w/20x24 wdw DS | S | S | S | S |
| 20x24 wdw in dress door | O | S | O | S |
| 20x24 wdw in walk thru door | S | S | S | S |
| 20x24 wdw at horse head area | n/a | n/a | O | S |
| Storm doors & stainless steel cam latches | S | S | S | S |
| Storm door windows 20x24 | O | S | O | S |
| Sidewall wdw 20x51 (1) each side | S | S | S | S |
| Carpet on floor in dress | S | S | S | S |
| Carpet on bulkhead wall | O | S | O | S |
| Saddle racks | 2 | 2 | 2 | 2 |
| Bridle hook set bolt on (6) aluminum | S | S | S | S |
| Door tie backs on all doors | S | S | S | S |
| Aluminum running boards | O | S | O | S |
| Diamond plate on steps, & tongue | S | S | S | S |
| Diamond plate on fenders half, full length Elite only | S | S | S | S |
| Diamond plate on nose, 18" high | O | S | O | S |
| Rubberline sidewalls | S | S | S | S |
| Breast/butt bar pads | O | S | O | S |
| Divider & sidewall pads | 1" | 2" | 1" | 2" |
| Rear header pad | S | S | S | S |
| Floor mats 5/8" | S | S | S | S |
| Roof vents | 2 | 2 | 2 | 2 |
| Brush tray on dress door | S | S | S | S |
| Triangle feed bags (1) each stall | S | S | S | S |
| Interior head ties (3) per stall | S | S | S | S |
| Exterior head ties (1) per horse | S | S | S | S |
| Fuse block | S | S | S | S |
| Dome lights | 2 | 3 | 2 | 3 |
| D.O.T Lighting | S | S | S | S |
| Empty trailer weight | 3700 lbs | | 3880 lbs | |
| Limited warranty on all products. See dealer for details. | 5yr | 7yr | 5yr | 7yr |


HAWK TRAILERS RESERVES THE RIGHT TO CHANGE SPECIFICATIONS AND PRICES WITHOUT NOTICE

EFFECTIVE 2009

2-Horse Bumper Pull with Dress with 54" Side Unload Ramp





2-Horse Bumper Pull with Dress Classic with 54" Side Unload Ramp



HAWK TRAILERS

| | w/dress Custom | w/dress Elite | w/dress Classic Custom | w/dress Classic Elite |
|---|----------------|---------------|------------------------|-----------------------|
| 2 Horse Bumper Pull Walk Thru Dress/side unload ramp | | | | |
| Overall Length | 19'4" | 19'4" | 19'10" | 19'10" |
| Width | 72" wd | 72" wd | 80" wd | 80" wd |
| Stall Length | 7' | 7' | 7'6" | 7'6" |
| Inside Height | 7'6" | 7'6" | 7'8" | 7'8" |
| 2-5/16" wedge lock coupler | S | S | S | S |
| Sidewind Jack w/sandfoot in coupler Elite only dollywheel | S | S | S | S |
| Axle Capacity 7000# w/4 wheel electric brakes | S | S | S | S |
| ST22575R15(D) Radial Silver rims, Elite Aluminum rims | S | S | S | S |
| Spare Tire & rim mounted inside no cover | S | S | S | S |
| Front wedge w/20x24 wdws | S | S | S | S |
| Side Unload Ramp, 54" w/upper storm door w/20x24 wdw DS | S | S | S | S |
| 20x24 wdw in dress door | O | S | O | S |
| 20x24 wdw in walk thru door | S | S | S | S |
| 20x24 wdw at horse head area | n/a | n/a | O | S |
| Storm doors & stainless steel cam latches | S | S | S | S |
| Storm door windows 20x24 | O | S | O | S |
| Sidewall wdw 20x51 (1) each side | S | S | S | S |
| Carpet on floor in dress | S | S | S | S |
| Carpet on bulkhead wall | O | S | O | S |
| Saddle racks | 2 | 2 | 2 | 2 |
| Bridle hook set bolt on (6) aluminum | S | S | S | S |
| Door tie backs on all doors | S | S | S | S |
| Aluminum running boards | O | S | O | S |
| Diamond plate on steps, & tongue | S | S | S | S |
| Diamond plate on fenders half, full length Elite only | S | S | S | S |
| Diamond plate on nose, 18" high | O | S | O | S |
| Rubberline sidewalls | S | S | S | S |
| Breast/butt bar pads | O | S | O | S |
| Divider & sidewall pads | 1" | 2" | 1" | 2" |
| Rear header pad | S | S | S | S |
| Floor mats 5/8" | S | S | S | S |
| Roof vents | 2 | 2 | 2 | 2 |
| Brush tray on dress door | S | S | S | S |
| Triangle feed bags (1) each stall | S | S | S | S |
| Interior head ties (3) per stall | S | S | S | S |
| Exterior head ties (1) per horse | S | S | S | S |
| Fuse block | S | S | S | S |
| Dome lights | 2 | 3 | 2 | 3 |
| Remote switch interior lights | O | S | O | S |
| D.O.T Lighting | S | S | S | S |
| Empty trailer weight | 3700 lbs | | 3880 lbs | |
| Limited warranty on all products. See dealer for details. | 5yr | 7yr | 5yr | 7yr |



2 Horse Bumper Pull Walk-Thru With Dress With 54" Side Unload Ramp

| | | | | |
|---------------|--------------------|----------------|-------------------------------|---------------|
| Drawn: JLS | Date: 6/28/2006 | Scale: 1:38 | Tolerance: $\pm \frac{1}{16}$ | Rev. 12/19/07 |
|---------------|--------------------|----------------|-------------------------------|---------------|

2 Horse Bumper Pull Walk-Thru w/Dress w/Side Ramp



Hawk Trailers
MANAWA, WI